# **Argus Development and Support**

Rob Holman SECNAV/CNO Chair in Oceanography

COAS-OSU 104 Ocean Admin Bldg Corvallis, OR 97331-5503

phone: (541) 737-2914 fax: (541) 737-2064 email: holman@coas.oregonstate.edu

Award Number: N00014-02-1-0146 http://cil-www.coas.oregonstate.edu:8080

#### LONG-TERM GOAL

The long term goal of neashore processes research has been to develop a predictive understanding of the fluid dynamics of a random wave field shoaling over the complicated bathymetry of a natural beach, and the response of the beach to those overlying wave and current motions. Traditionally, this has involved forward prediction based on models and seed data of initial and boundary conditions. However, it has now been broadly recognized that prediction of nonlinear systems such as the nearshore will inevitably fail at long time scales, so that knowledge of a coastal environment will depend on frequent data updates, likely acquired through innovative remote sensing techniques. The Argus Program, developed by the Coastal Imaging Lab (CIL), is one such approach (http://cil-www.coas.oregonstate.edu:8080). Technology developments in Argus are important to a range of nearshore dynamics research programs and apply readily to other remote sensing programs of Naval interest

# **OBJECTIVES**

Argus is a global program, with 12 stations in 5 countries. While the program was invented at Oregon State University and we continue to be the intellectual lead, major complementary development programs have begun in Europe (Netherlands and England), the US (NRL-SSC) and Australia. With the research benefit associated with these efforts come corresponding complications of organizing and maintaining coherency among the groups. This is particularly true in Europe where research is funded as part of the three-year EU CoastView program.

The objectives of the work in this grant are threefold:

- a) to provide support for operations including replacement parts and maintenance to cover normal system attrition, as well as mirrored archive with Stennis Space Center
- b) to allow the design and testing of the third generation Argus Station based around digital firewire cameras and all-digital networks, and
- c) to maintain connections and coherency with other world Argus developers.

Report Documentation Page		Form Approved OMB No. 0704-0188
maintaining the data needed, and completing and revie including suggestions for reducing this burden, to Wasi	wing the collection of information. Send comments regarding this nington Headquarters Services, Directorate for Information Opera withstanding any other provision of law, no person shall be subje	for reviewing instructions, searching existing data sources, gathering and s burden estimate or any other aspect of this collection of information, ations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington ect to a penalty for failing to comply with a collection of information if it
1. REPORT DATE 30 SEP 2003	2. REPORT TYPE	3. DATES COVERED <b>00-00-2003</b> to <b>00-00-2003</b>
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER
Argus Development and Support		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) COAS-OSU,,104 Ocean Admin Bldg,,Corvallis,,OR,97331		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION/AVAILABILITY STAT		
13. SUPPLEMENTARY NOTES		
fluid dynamics of a random w the response of the beach to the forward prediction based on r been broadly recognized that long time scales, so that knowleacquired through innovative r Imaging Lab (CIL), is one suc	ave field shoaling over the complications overlying wave and current monodels and seed data of initial and by prediction of nonlinear systems such dedge of a coastal environment will demote sensing techniques. The Argina proach (http://cil-www.coas.org.portant to a range of nearshore dynamics.	velop a predictive understanding of the ated bathymetry of a natural beach, and ations. Traditionally, this has involved boundary conditions. However, it has now has the nearshore will inevitably fail at depend on frequent data updates, likely us Program, developed by the Coastal egonstate.edu:8080). Technology namics research programs and apply
15. SUBJECT TERMS		

c. THIS PAGE

unclassified

16. SECURITY CLASSIFICATION OF:

b. ABSTRACT

unclassified

a. REPORT

unclassified

17. LIMITATION OF ABSTRACT

Same as

Report (SAR)

18. NUMBER OF PAGES

5

19a. NAME OF RESPONSIBLE PERSON


# **APPROACH**

This work continues to involve reactive and proactive components. The reactive component involves: i) replacement of failing system components, primarily by shipping parts to colleagues and tutoring the fix by phone or email, ii) bug recovery usually associated with changes in firewalls or other aspects of site infrastructure, and iii) response to a wide range of queries and requests from collaborators. The proactive component involves: a) improvements in the system, particularly the development of the new, digital Argus III, b) improvements in operations and development of new base-level routines and techniques that are the foundation of Argus. In addition, this grant supports regular operations, although these and almost entirely automated at this stage.

# WORK COMPLETED

Now in its second year, the primary activity has been the development and testing of the digital Argus III stations. Based on digital firewire cameras, these stations offer many advantages including an approximately two-fold improvement in linear resolution, capability for collection from five cameras simultaneously, total flexibility in data collection tasking (including mixing of short and overlapping long data runs; Figure 1), and truly synchronous image acquisition from multiple cameras. The first Argus III station is currently being tested as part of the NCEX field experiment and will form the heart of our field data collection effort.

# Example: Argus III Collection Strategy



\*STV - Snap, Time exposure, Variance

\*PTS - Pixel Time Series

Figure 1. Example camera tasking for Argus III. The new system allows synchronous sampling from all cameras in a station as well as multiple simultaneous processes. Thus, standard images (snap, timex and variance) can be collected every hour while pixel time series of various lengths are also being collected. This is a major advantage over the previous two-camera limitation of Argus II.

A number of new base-level routines have been developed to assist with a range of Argus requirements. We have developed an analysis of sensor MTF based on spectral analysis of a random Gaussian white noise target. We are now able to carry out objective lens focusing, based on the variance of collected images. Many of the signal processing concepts needed for a variety of nearshore analyses have been captured in a pixel instruments Matlab toolbox. Collectively, these and other improvements have greatly enhanced the usability of Argus.

A new (final) Argus station has been installed at Monterey Bay, California. This site, collaborative with Professor Ed Thornton of the Naval Postgraduate School, is a dynamic intermediate beach with active rips currents. As such, the site offers a data set that should be valuable in understanding fluid-morphology interactions at intermediate time scales, as well as offering collaboration opportunities with NPS.

#### IMPACT/APPLICATION

Argus has become increasing important in Europe and Australia, with installations now in seven countries over three continents and serious Argus research in five countries. Approximately 30 stations are now in operation. Within the US, Argus and associated spin-offs will play a major role in the NCEX field experiment, now in progress. Argus is also an increasingly important part of Naval nearshore remote sensing research, for example in the VISSER program, run by Dr. Todd Holland at NRL-Stennis Space Center.

#### **TRANSITIONS**

Aspects of Argus research development have been integrated in Naval nearshore remote sensing programs through the PI's connections to the LRS program. Transition to the WSC of some of these results is ongoing or complete as of the time of writing.

#### RELATED PROJECTS

- 1 Joint work with Dr. Todd Holland, NRL-SSC
- 2 Collaboration and data sharing of pixel time stack data with Dr. Jim Kaihatu or NRL-SSC
- 3 Collaboration with WSC personnel at Navoceano (headed by Melody Bledsoe and Houston Costolo) on nearshore remote sensing
- 4 LRS program collaboration
- 5 EU CoastView Program (2002 2005)
- 6 Numerous collaborations with the Field Research Facility
- 7 Participation in the NCEX field experiment, 09/19/03 11/15/03

# **REFERENCES**

None

# **PUBLICATIONS**

Holman, R.A. Stanley, J.A, and H.T. Özkan-Haller, The application of video sensor networks to the study of nearshore oceanography, IEEE Journal of Pervasive Computing, in press.

# **PATENTS**

None

# HONORS/AWARDS/PRIZES

SECNAV/CNO Chair in Oceanography, 2003-2007